

1:1

MKEXCC0026

www.vieropaints.it

Viero

MYCENE



Mycene

Water based decorative finish,
based on special mineral extenders – metallic effect

Description Water based decorative finish, based on special mineral extenders with metallic effects. Due the particular floccules, it gives three-dimensionality the wall trough smooth and reflecting shades which can be designed by the applicator

Method of application

Base Coat

- After the wall preparation, apply 1 or 2 coats of VIEROQUARTZ.

Brush + Spatula Finishing

1. When VIEROQUARTZ is completely dry, apply a coat of MYCENE with a small brush with a high density of bristle. To avoid shade differences, the final brushing must always be applied in same direction (form top to bottom or vice versa)
2. Wait ten, twenty minutes (according to the environment temperature and humidity) and touch the surface to check if the smooth component of the product is dry.
3. Proceed with decoration by passing a plastic spatula over the still wet particles, to create the desired effect.

Practical advice
Apply MYCENE by brush and be careful to give the last stroke always in the same direction to avoid differences in the shade of the finish.
DO NOT STOP THE APPLICATION OF MYCENE IN THE MIDDLE OF THE WALL.

Consumption rate 4 -6 m²/lt

Interiors / Exteriors Interiors

Warning The colours shown are indicative only



MA5



MA36



MA8




MA17



MYCENE SILVER



MA40



MA16



MA15




MYCENE GOLD




MA39



MA4



MA9




M019



MA38



MA3




MA14




M017



M026



M014




MA18




M05



M035



M06



M013